

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 20/02/2019 Revision date: 08/02/2024 Supersedes version of: 04/03/2022 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI Product code Type of product Product group	 Mixture CHAMPION PRORACING GP WINDSHIELD CLEANER GUEC-2YK4-V45T-G16E 55512 CHAMPION Blend
1.2. Relevant identified uses of	the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Industrial/Professional use spec

Industrial use,Professional use,Consumer use
 Non industrial spraying
 Industrial spraying
 Lubricants and additives

Function or use category

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CHAMPION CHEMICALS N.V. Georges Gilliotstraat, 52 2620 Hemiksem, Antwerpen België T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99 msds@wolfoil.com, https://www.championlubes.com

1.4. Emergency telephone number

Emergency number

: 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090	+356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification according to Regulation (EC Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section	
Adverse physicochemical, human health a No additional information available	nd environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) No.	. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP) Hazard statements (CLP)	 Danger H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	 P211 - Do not spray on an open flame or other ignition source. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 - Do not pierce or burn, even after use. P280 - Wear protective clothing, protective gloves, eye protection. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F, 50 °C. P102 - Keep out of reach of children.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	10 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butane (< 0,01% 1,3 Butadien)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: Annex V	2.5 – 10	Flam. Gas 1, H220 Press. Gas (Comp.), H280
propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: Annex V	2.5 – 10	Flam. Gas 1, H220 Press. Gas (Comp.), H280
Isobutane	CAS-No.: 75-28-5 EC-No.: 200-857-2 REACH-no: 01-2119485395- 27	0.1 – 1	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Comments

: Contains ≥ 5 - < 15% aliphatic hydrocarbons; <5% perfumes: (R)-p-mentha-1,8-dieen; <5% BENZYLALCOHOL. (REGULATION (EC) No 648/2004)

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Allow affected person to breathe fresh air. Seek medical advice. Wash skin with mild soap and water. In case of eye contact, immediately rinse with clean water for 10-15 minutes. Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after inhalation	 Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	 Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measur	res		
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Powder. Dry chemical product.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
No additional information available			
5.3. Advice for firefighters			
Precautionary measures fire Firefighting instructions Protection during firefighting	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. 		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Protective equipment	: Wear suitable protective clothing and gloves.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable protective clothing and gloves.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	 Impound and recover large spill by mixing it with inert granular solids. Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. Spill area may be slippery. Use suitable disposal containers. 	

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	 Avoid all unnecessary exposure. Take precautionary measures against static discharges. Both local exhaust and general room ventilation are usually required. Prevent explosions. Container under pressure. Do not drill or burn even after use. Keep away from sources of ignition - No smoking.
Handling temperature Hygiene measures	 < 40 °C Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage temperature Storage area Special rules on packaging	 ≤ 40 °C Store in dry, cool, well-ventilated area. Packaging destined for the general public must be fitted with a tactile danger indication.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

CHAMPION PRORACING GP WINDSHIELD CLEANER		
EU - Indicative Occupational Exposure Limit (IOEL)		
Remark	MAC (mg/m ³) : Butaan : 600	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment: Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection				
Type Field of application Characteristics Standard				
Safety glasses		With side shields	EN 166	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	>0,5		EN ISO 374

Other skin protection Materials for protective clothing		
Condition	Material	Standard
		EN 13034

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Gas filters	Type AX - Low-boiling (<65 °C) organic compounds, Type P2		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Appearance	: Aerosol.
Odour	: Fruity.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: -44.5 °C
Flammability	: Not available
Lower explosion limit	: 1.5 vol %
Upper explosion limit	: 12 vol %
Flash point	: -60 °C
Auto-ignition temperature	: 0 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Miscible.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 43 hPa @ 20°C
Vapour pressure at 50°C	: Not available
Density	: 944 kg/m³ @20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable
9.2. Other information	

Explosion limits	: 1.5 – 12 vol %
9.2.2. Other safety characteristics	
VOC content	: 22.24 %

SECTION 10: Stability and reactivity 10.1. Reactivity None under normal conditions. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None under normal conditions. 10.4. Conditions to avoid No data available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as de	fined in Regulation (EC) No 1272/2008
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
CHAMPION PRORACING GP WINDSHIEL	D CLEANER
LD50 oral rat	> 5000 mg/kg 64742-48-9 Naphta (Petroleum)
LD50 dermal rabbit	> 3000 mg/kg 64742-48-9 Naphta (Petroleum)
propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 Inhalation - Rat	25000 mg/m³ @6h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified.
propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

(acute) Hazardous to the aquatic environment, long-term :	Not classified Not classified
(chronic) propan-2-ol (67-63-0)	
LC50 - Fish [1]	9640 mg/l Pimephales promelas
EC50 - Crustacea [1]	9714 mg/l Daphnia magna - @24h
NOEC chronic algae	< 1000 mg/l @8d

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability	
CHAMPION PRORACING GP WINDSHIELD CL	EANER
Persistence and degradability	Rapidly degradable
Butane (< 0,01% 1,3 Butadien) (106-97-8)	
Persistence and degradability	Rapidly degradable
propane (74-98-6)	
Persistence and degradability	Rapidly degradable
propan-2-ol (67-63-0)	
Persistence and degradability	Rapidly degradable
Isobutane (75-28-5)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
Butane (< 0,01% 1,3 Butadien) (106-97-8)	
Partition coefficient n-octanol/water (Log Pow)	2.89
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Additional information :	Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 : UN 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG)	: AEROSOLS : AEROSOLS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	: AEROSOLS
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1
Transport document description (RID)	: UN 1950 AEROSOLS, 2.1

14.3. Transport hazard class(es)

ADR

IMDG

Transport hazard class(es) (ADR)	
Danger labels (ADR)	



: 2.1

: 2.1 .

ΙΑΤΑ

Transport hazard class(es) (IATA) Danger labels (IATA)

Transport hazard class(es) (IMDG)

Danger labels (IMDG)

ADN

Transport hazard class(es) (ADN) Danger labels (ADN)

RID

Transport hazard class(es) (RID) Danger labels (RID)

: 2.1 : 2.1 :

: 2.1 : 2.1 :

14.4. Packing group

Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)

	N 1 / 11
:	Not applicable
:	Not applicable

. Not applicab

: Not applicable

: Not applicable

: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR) Special provisions (ADR)	: 5F : 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading	: CV9, CV12
and handling (ADR)	00
Special provisions for carriage - Operation (ADR)	: S2 : D
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22 : SG69
Segregation (IMDG) MFAG-No	: 126
	20
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA) CAO packing instructions (IATA)	: 75kg : 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
08/02/2024 (Revision date)	EN (English) 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (RID) Transport category (RID)		MP9 2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading and handling (RID)		CW9, CW12
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)		23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations

: Regulation (EC) No. 648/2004 of 31 March 2004 on detergents. Contains : ≥15 - 30%. aliphatic hydrocarbons. Contains : <5 %. anionic surfactants. perfumes: (R)-p-mentha-1,8dieen; CITRAL; BENZYLALCOHOL.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content

: 22.24 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases		
Code Description	Description	
hydrocarbons and mix alcohols; glycols, glyco	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	
Germany		
Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). : Is not subject of the Hazardous Incident Ordinance (12. BImSchV) 	
Netherlands		
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed	
SZW-lijst van mutagene stoffen	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Borstvoeding	·	
SZW-lijst van reprotoxische stoffen – √ruchtbaarheid	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed	
Denmark		
MAL code	: 2-1 (Executive Order No. 301 from 1993)	
Class for fire hazard	: Class I-1	
Store unit	: 1 liter	
Classification remarks	: F+ <aerosol 1;="" classified="" flam.="" liq.="" not="">; Emergency management guidelines for the storage of flammable liquids must be followed</aerosol>	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product	

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	SDS EU format	Modified	
	Revision date	Modified	

Abbreviations and acronyms:	
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Liq. 2	Flammable liquids, Category 2
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.