



# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 02/07/2012 Revision date: 30/07/2024 Supersedes version of: 16/05/2024 Version: 6.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : CHAMPION ECO FLOW DSG FLUID  
Product code : 5080  
Type of product : CHAMPION  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

CHAMPION CHEMICALS N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem, Antwerpen  
België  
T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99  
[msds@championlubes.com](mailto:msds@championlubes.com), <https://www.championlubes.com>

#### 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090	+356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isooctadecanoic acid, reaction products with tetraethylenepentamine	EC-No.: 701-204-9 REACH-no: 01-2119960832-33	1 – 2.49	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Reaction product of alkylthioalcohol and substituted phosphorus compound	EC-No.: 424-820-7 REACH-no: 01-0000017126-75	0.1 – 0.5	Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine	EC-No.: No Longer Polymer REACH-no: 01-0000015551-76	0.1 – 0.25	Skin Corr. 1C, H314 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate	CAS-No.: 93882-40-7 EC-No.: 299-434-3 REACH-no: 01-2120735527-50	0.1 – 0.25	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures.  
First-aid measures after skin contact : Wash skin with mild soap and water.  
First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.  
First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

#### 6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature	: < 40 °C

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : ≤ 40 °C  
Storage area : Store in dry, cool, well-ventilated area.

#### Germany

Storage class (LGK, TRGS 510) : LGK 10-13 - Other combustible and non-combustible substances

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

CHAMPION ECO FLOW DSG FLUID	
Belgium - Occupational Exposure Limits	
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Safety glasses. Gloves.

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

No additional information available

##### 8.2.2.2. Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow-brown.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 180 °C (ASTM D92)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 33.6 mm <sup>2</sup> /s @ 40°C (ASTM D445)
Solubility	: Slightly soluble, the product remains on the water surface.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 849 kg/m <sup>3</sup> @ 15°C (ASTM D4052)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Isooctadecanoic acid, reaction products with tetraethylenepentamine

LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rabbit	> 2000 mg/kg OECD 402

#### Reaction product of alkylthioalcohol and substituted phosphorus compound

LD50 oral	> 2000 mg/kg 67/548/EEG Annex V, B1
LD50 dermal	> 500 mg/kg 67/548/EEG AnnexV, B3

#### N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine

LD50 oral rat	> 2000 mg/kg OECD 401
LD50 dermal rabbit	> 2000 mg/kg OECD 402

#### 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)

LD50 oral	> 10000 mg/kg
-----------	---------------

Skin corrosion/irritation : Not classified

#### Isooctadecanoic acid, reaction products with tetraethylenepentamine

Additional information	Causes skin irritation.
------------------------	-------------------------

#### Reaction product of alkylthioalcohol and substituted phosphorus compound

Additional information	Causes severe skin burns and eye damage.
------------------------	--

#### N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine

Additional information	Causes severe skin burns and eye damage.
------------------------	--

Serious eye damage/irritation : Not classified

#### Isooctadecanoic acid, reaction products with tetraethylenepentamine

Additional information	Serious eye damage/eye irritation, Category 2
------------------------	---

#### Reaction product of alkylthioalcohol and substituted phosphorus compound

Additional information	Causes serious eye damage.
------------------------	----------------------------

#### N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine

Additional information	Causes serious eye damage.
------------------------	----------------------------

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)	
Serious eye damage/irritation, rabbit	Causes serious eye irritation (OECD 405)
Respiratory or skin sensitisation	: Not classified
Isooctadecanoic acid, reaction products with tetraethylenepentamine	
Additional information	Did not cause sensitisation
4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)	
Skin sensitization, Buehler test, Guinea pig	May cause sensitisation by skin contact
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Isooctadecanoic acid, reaction products with tetraethylenepentamine	
NOAEL (animal/male, F1)	> 1000 mg/kg OECD 421
NOAEL (animal/female, F1)	> 1000 mg/kg OECD 421
Reaction product of alkylthioalcohol and substituted phosphorus compound	
NOAEL (animal/male, F1)	150 mg/kg
N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine	
NOAEL (animal/male, F1)	100 mg/kg OECD 421
NOAEL (animal/female, F1)	100 mg/kg OECD 421
STOT-single exposure	: Not classified
Isooctadecanoic acid, reaction products with tetraethylenepentamine	
NOAEL (oral, rat)	> 1000 mg/kg bodyweight OECD 421
STOT-repeated exposure	: Not classified
N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight/day
Aspiration hazard	: Not classified
CHAMPION ECO FLOW DSG FLUID	
Viscosity, kinematic	33.6 mm <sup>2</sup> /s @ 40°C (ASTM D445)

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Based on available data, the classification criteria are not met.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Isooctadecanoic acid, reaction products with tetraethylenepentamine	
LC50 - Fish [1]	> 1000 mg/l OECD 203, Pimephales promelas
EC50 - Crustacea [1]	> 1000 mg/l OECD 202, Daphnia magna
EC50 72h - Algae [1]	94 mg/l OECD 201

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Isooctadecanoic acid, reaction products with tetraethylenepentamine</b>	
NOEC chronic crustacea	> 32 mg/l @21d
NOEC chronic algae	23 mg/l @96h
<b>Reaction product of alkylthioalcohol and substituted phosphorus compound</b>	
LC50 - Fish [1]	1.5 mg/l OECD203, Oncorhynchus mykiss
EC50 - Crustacea [1]	0.09 mg/l OECD 202 - EL50, Daphnia magna
EC50 72h - Algae [1]	0.31 mg/l 67/548/EEG Annex V,C.3.
NOEC (chronic)	0.14 (0.01 – 0.1) mg/l Daphnia
<b>N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine</b>	
LC50 - Fish [1]	690 mg/l OECD 203, Cyprinodon variegatus
EC50 - Crustacea [1]	> 4 mg/l OECD 202, Daphnia magna
EC50 72h - Algae [1]	0.79 mg/l OECD 201 - EL50, Daphnia magna
EC50 72h - Algae [2]	0.34 mg/l OECD 201 - EL10, Daphnia magna
<b>4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)</b>	
LC50 - Fish [1]	> 1000 mg/l @96h; Cyprinodon variegatus (OECD 203)
LC50 - Fish [2]	> 100 mg/l @96h; Oryzias latipes (OECD 203)
EC50 - Crustacea [1]	9.5 mg/l OECD 202, Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l @72h; Pseudokirchneriella subcapitata (OECD 201)
<b>12.2. Persistence and degradability</b>	
<b>CHAMPION ECO FLOW DSG FLUID</b>	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.
<b>Isooctadecanoic acid, reaction products with tetraethylenepentamine</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	21.8 % @28d, OECD 301B
<b>Reaction product of alkylthioalcohol and substituted phosphorus compound</b>	
Persistence and degradability	Not readily biodegradable..
Biodegradation	52.9 % @60d, OECD 301B, 10mg/L
<b>N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine</b>	
Persistence and degradability	Not readily biodegradable..
Biodegradation	56.8 % @28d, OECD 301B, 10mg/L
<b>4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)</b>	
Persistence and degradability	Not readily biodegradable..
Biodegradation	11 – 14 % (OECD 301)
<b>12.3. Bioaccumulative potential</b>	
<b>Isooctadecanoic acid, reaction products with tetraethylenepentamine</b>	
Partition coefficient n-octanol/water (Log Pow)	> 9.36



# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Reaction product of alkylthioalcohol and substituted phosphorus compound

Bioaccumulative potential	Potential to bioaccumulate.
---------------------------	-----------------------------

### N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine

Partition coefficient n-octanol/water (Log Pow)	> 5.2
---	-------

### 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)

BCF - Other aquatic organisms [1]	140 – 410 (OECD 305)
-----------------------------------	----------------------

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

### 12.4. Mobility in soil

#### Isooctadecanoic acid, reaction products with tetraethylenepentamine

Ecology - soil	Adsorbs into the soil.
----------------	------------------------

#### Reaction product of alkylthioalcohol and substituted phosphorus compound

Ecology - soil	Adsorbs into the soil.
----------------	------------------------

#### N,N-bis(2-hydroxyethyl)-3-((C16-18) alkoxy)-1-propanamine

Ecology - soil	Adsorbs into the soil.
----------------	------------------------

#### 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)

Ecology - soil	Adsorbs to soil after emission.
----------------	---------------------------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.  
European List of Waste (LoW) code : 13 02 06\* - synthetic engine, gear and lubricating oils

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : Not applicable

#### ADN

Transport hazard class(es) (ADN) : Not applicable

#### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.1.2. National regulations

### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

### Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
2.2	EUH-statements	Modified	
3	Composition/information on ingredients	Modified	
9.1	Colour	Modified	
11.2.	Adverse health effects caused by endocrine disrupting properties	Added	
12.1	Ecology - general	Added	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added	
13.1	European List of Waste (LoW) code	Added	

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH208	Contains 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

# CHAMPION ECO FLOW DSG FLUID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.